EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("6,460,042").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 12:14
L2	3966	(715/517,513,507,505).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 12:45
L3	6079	(707/10).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 12:45
L4	7080	(709/245,238,229).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 12:46
L5	16424	2 3 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 12:46
L6	12048	5 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 12:46
L7	6082	6 and ((form$1 and (field$1 or input$1)) and (html or web or www or (world adj wide)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 12:47
L8	1020	6 and (((form$1 and (field$1 or input$1)) with (format$4 or type$1)) and (html or web or www or (world adj wide)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 12:48
L9	7	8 and (form$1 and (field$1 or input$1)) with (pre adj (fill$3 or populat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 12:49

EAST Search History

S1	100	("5694594" "5699493" "5734886" "5978594" "6276211" "6856417" "4783699" "5323987" "5384778" "5442622" "5519831" "5661676" "5666068" "5675272" "5687412" "5694429" "5727202" "5740469" "6185574" "6453387" "5303393" "5764691" "5894494" "5999562" "5274508" "4455483" "5920592" "5966512" "5177796" "5280584" "5481531" "5650799" "5684774" "6202073" "4415792" "4627026" "4924426" "4972474" "5237529" "5377102" "5450370" "5467436" "5477492" "5583975" "5592413" "5657398" "5680479" "5680478" "5742509" "5797027").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/10 14:37
S2	11	(data near5 typ$3) near ((web or html or xml or xhtml) near form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 15:43
S3	1	typed near form$1 near field$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 15:43
S4	0	data-typed near form$1 near field$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 15:44
S5	0	data-typed near5 (form$1 near field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 15:44
S6	0	data-typed with (form$1 near field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 15:44
S7	0	data-typed same (form$1 near field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 15:44

EAST Search History

S8	752	(form$1 near field$1) with (file$1 or table$1 or database$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 08:21
S9	120	((form$1 near field$1) with (file$1 or table$1 or database$1)) same format$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 08:25
S10	15	S9 and overlay$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 08:16
S11	165	(form$1 near field$1 near (attribute$1 or element$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 08:23
S12	23306	("715").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 08:22
S13	21	S11 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 08:22
S14	24	((form$1 near field$1 near (attribute$1 or element$1))) same (format$4 or layout$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 08:24
S15	1	((form$1 near field$1) with (file$1 or table$1 or database$1)) same (input$4 near format$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 08:26
S16	38	(form$1 near field$1) same (input$4 near format$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 08:55
S17	5	(form$1 near field$1) same (validat$3 near format$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 08:57

EAST Search History

S18	108	automatic adj formatting	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 08:57
S19	14	(automatic adj formatting) same (form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 08:57
S20	0	"automatic formatting".tt.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 08:58
S21	3	(US-20050149854-$ or US-20020013788-$ or US-20040039993-$).did.	US-PGPUB	OR	OFF	2005/11/30 08:58
S22	1	S21 and hsformat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 08:59
S23	2	hsformat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 08:59
S24	432197	"format="	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 09:00
S25	310126	"format=" and (form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 09:00
S26	4161	"format=" and (form$1 near field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 09:00
S27	155	"format=" and (form$1 near field$1 near input$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 09:00

EAST Search History

S28	105	S27 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 10:10
S29	80	xforms	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 10:10
S30	30	xforms and (constrain$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 10:11
S31	0	xforms and (constrain$3 near value$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 10:11
S32	28	S30 not (x adj window$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 10:12
S33	16	S32 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 10:43
S34	50	(pre adj populat$3) near (form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 10:44
S35	26	S34 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 10:44
S36	56	((pre adj populat$3) or (auto near complet$4)) near (form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 10:44
S37	106	((pre adj populat$3) or ((auto or automatic$4) near complet$4)) near (form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 10:49

EAST Search History

S38	65	S37 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 10:49
S39	220	((pre adj (populat$3 or fill$3)) or ((auto or automatic$4) near complet$4)) near (form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 10:49
S40	137	S39 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 11:05
S41	253	(715/505,6,7,8).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 11:03
S42	253	(715/505).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 11:03
S43	676	(715/505-508).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 11:03
S44	143	(715/506).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 11:03
S45	330	(715/507).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 11:04
S46	113	(715/508).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 11:04
S47	2352	(715/513).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 11:04

EAST Search History

S48	43	S43 and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 11:04
S49	30	S48 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 11:06
S50	413	S45 or S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 11:05
S51	337	S50 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 11:06
S52	167	S51 and fill$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 11:06
S53	183	S51 and (fill$3 or populat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 11:06
S54	0	S52 and (detect$3 near URL$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 11:07
S55	0	S52 and (detect$3 near3 URL$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 11:07
S56	0	S52 and (detect$3 near5 URL$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 11:07
S57	3	S52 and (detect$3 same URL$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/30 11:07

S58	701	form$1 near field$1 near (data$1 or input$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:39
S59	472	S58 and (check$3 or validat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:36
S60	263	S59 and predetermin$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:36
S61	48	S59 and (file adj typ$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:37
S62	484	S58 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:40
S63	332	S58 and @ad<="20020730"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:50
S64	331	(715/507).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:40
S65	27	S63 and S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:43
S66	15	S65 and (formatt$3 or layout$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:44
S67	0	S65 and (field$3 near formatt$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:44

S68	1	S65 and (input$4 near formatt$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:45
S69	1	S65 and (input$4 near5 formatt$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:45
S70	2	S65 and (input$4 with formatt$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:46
S71	31	(form$1 near field$1) same (input$4 with formatt$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:50
S72	7	S71 and estrada.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:47
S73	24	S71 not S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:47
S74	7	S71 and S72	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:47
S75	17	S71 and @ad<="20020730"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 14:50
S76	15	(form$1 near field$1) same (input$4 with formatt$3)	USPAT	OR	OFF	2005/12/05 15:31
S77	2	("6192380").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 15:31
S78	29	("5640577" | "5794259" | "5802518" | "5931907" | "5963952" | "5974430" | "6029245").PN. OR ("6192380").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 15:34

EAST Search History

S79	0	S78 and forma4$4	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 15:32
S80	4	S78 and layout$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 15:32
S81	5	S78 and validat$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 15:36
S82	5	S78 and validat$3 and attribute$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 15:38
S83	5	S78 and validat$3 and attribute$1 and rule$1	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 15:38
S84	0	ll26 and (data adj validation adj rules)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 15:39
S85	2	S83 and (data adj validation adj rules)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 15:58
S86	7	hitchcock.in. and wolfston.in.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 16:06
S87	1	S64 and "application table"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 15:59
S88	3	S64 and (application$1 near table$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 16:00
S89	6	S86 and (application$1 near table$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 16:04
S90	0	S86 and (table$1 near url$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 16:04
S91	0	S86 and (table$1 near reference$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 16:05
S92	0	S86 and (table$1 near link$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 16:05
S93	0	S86 and (table$1 same hyperlink$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 16:05

EAST Search History

S94	0	S86 and (table$1 same photo$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 16:05
S95	0	S86 and (table$1 same picture$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 16:05
S96	0	S86 and (table$1 same personal)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 16:05
S97	0	S86 and (table$1 near file$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 16:06
S98	6	S86 and (table$1 same file$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 16:07
S99	6	S86 and (table$1 same address$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 16:09
S100	0	S86 and (table$1 same (link$3 or hyperlink$3 or (hyper adj link$3)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 16:09
S101	2	S86 and (field$1 same (link$3 or hyperlink$3 or (hyper adj link$3)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 16:10
S102	0	S86 and (input$1 same (link$3 or hyperlink$3 or (hyper adj link$3)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 16:14
S103	2	("6167523").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 16:15
S104	2	("5991469").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/05 16:15
S105	91	(format$4 near5 (string$1 or character$1 or value$1)) with (form$1 near5 field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:05
S106	94	(format$4 near5 (string$1 or character$1 or value$1 or attribute$1)) with (form$1 near5 field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:06

EAST Search History

S10 7	72	S106 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:13
S10 8	1	S107 and skip$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:09
S10 9	0	S107 and supress$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:09
S11 0	0	S107 and supres$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:09
S11 1	8	S107 and (skipp$3 or ignor$3 or supress$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:10
S11 2	257	(715/505).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:12
S11 3	143	(715/506).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:12
S11 4	331	(715/507).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:13
S11 5	113	(715/508).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:13
S11 6	681	S112 S113 S114 S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:13

EAST Search History

S11 7	533	S116 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:33
S11 8	137	S117 and (input$4 with format$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:14
S11 9	32	S117 and (input$4 with field$1 with format$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:15
S12 0	16	S119 and (skip$4 or omit$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:26
S12 1	10	S120 and condition$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:32
S12 2	1826	xform$1 or (xml near form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:32
S12 3	903	S122 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:39
S12 4	750	S123 and (formatting or format$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:33
S12 5	133	S123 and (field$1 with (formatting or format$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:38
S12 6	16	(formatted near input$1) same (form$1 with field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:41

S12 7	15	S126 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:43
S12 8	33	(formatted near5 input$1) same (form$1 with field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:41
S12 9	26	S128 not estrada.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:42
S13 0	26	S129 not shaug.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:42
S13 1	26	S129 not shaughenssy.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:43
S13 2	23	S129 not shaughnessy.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:43
S13 3	15	S132 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 15:43
S13 4	93350	(field$1 or record$1 or cell$1) same (format$4 or layout$1) same (form$1 or spreadsheet$3 or (spread adj sheet$3) or table$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:36
S13 5	19570	(field$1 or record$1 or cell$1) with (format$4 or layout$1) with (form$1 or spreadsheet$3 or (spread adj sheet$3) or table$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:36
S13 6	309	(field$1 or record$1 or cell$1) near (format$4 or layout$1) near (form$1 or spreadsheet$3 or (spread adj sheet$3) or table$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:38

S13 7	309	S136 and 2ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:38
S13 8	235	S136 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:43
S13 9	71	S138 and ((input$4 or layout$3) with (format$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:45
S14 0	23	S139 and (process$3 with file$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:49
S14 1	5	S138 and (formatted with input$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:50
S14 2	23	(formatted with input$1 with attribute$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:52
S14 3	75	(formatted with (input$1 or content$1) with attribute$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:55
S14 4	9200	(formatted with (input$1 or content$1 or value$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:56
S14 5	178212	(format$3 with (input$1 or content$1 or value$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:56
S14 6	62498	(format$3 near3 (input$1 or content$1 or value$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:56

EAST Search History

S14 7	22830	(format$3 near (input$1 or content$1 or value$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 11:56
S14 8	296	(format$3 near (input$1 or content$1 or value$1)) with (assign$3 or apply$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 12:04
S14 9	14	S148 and skipp$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 12:02
S15 0	188	(715/522).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 12:04
S15 1	364	(715/523).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 12:04
S15 2	65	(715/524).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 12:04
S15 3	562	S150 S151 S152	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 12:04
S15 4	496	S153 and (format$1 or format$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 12:05
S15 5	274	S153 and ((input$1 or field$1) same (format$1 or format$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 12:08
S15 6	145	S155 and (int or real or chr or char or string)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 12:09

S15 7	116	S155 and ((int and real) or chr or char or string)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/08 12:09
S15 8	2	("6199079").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 10:45
S15 9	1	S158 and field$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 10:48
S16 0	4292	(field$1 near format$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 10:48
S16 1	13	form$1 near (field$1 near format$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 10:50
S16 2	74	form$1 near5 (field$1 near format$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 10:57
S16 3	337	form$1 near5 (field$1 near3 format$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 10:58
S16 4	263	S163 not S162	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 10:58
S16 5	23624	("715").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 10:58
S16 6	34	S164 and S165	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 10:58

EAST Search History

S16 7	34	S166 and (form$1 near5 (field$1 near3 format$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 10:58
S16 8	27	S167 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 11:05
S16 9	204	715/507	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 11:05
S17 0	140	S169 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 11:23
S17 1	99	S170 and (form$1 and field$1 and format$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 11:05
S17 2	50	S170 and (form$1 and (field$1 same format$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 11:07
S17 3	47	S170 and (form$1 and (field$1 same format$4) and automatic$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 11:07

EAST Search History

S17 4	28	(US-20010047426-$ or US-20010047428-$ or US-20020013788-$ or US-20030023625-$ or US-20030046316-$ or US-20030078949-$ or US-20030159071-$ or US-20040034833-$ or US-20040039993-$ or US-20040148568-$ or US-20040205530-$ or US-20040205533-$ or US-20050149854-$ or US-20050198563-$).did. or (US-5231579-$ or US-5404294-$ or US-5563998-$ or US-5745712-$ or US-5991469-$ or US-6088700-$ or US-6167523-$ or US-6460042-$ or US-6651217-$ or US-6854085-$ or US-6944669-$ or US-6662340-$ or US-6185583-$ or US-5025396-$). did.	US-PGPUB; USPAT	OR	OFF	2005/12/28 11:23
S17 5	11	S174 and validat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 11:24
S17 6	22717581	17and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 11:23
S17 7	22717457	l17and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 11:23
S17 8	24	S174 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 11:24
S17 9	9	S178 and validat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 11:56
S18 0	2	("6637447").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 11:58

EAST Search History

S18 1	2	("5991782").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 11:59
S18 2	2	("6826597").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/28 11:59
S18 3	4	US-6199079-$.DID. OR US-5794259-$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 08:48
S18 4	30	(US-20010047426-$ or US-20010047428-$ or US-20020013788-$ or US-20030023625-$ or US-20030046316-$ or US-20030078949-$ or US-20030159071-$ or US-20040034833-$ or US-20040039993-$ or US-20040148568-$ or US-20040205530-$ or US-20040205533-$ or US-20050149854-$ or US-20050198563-$).did. or (US-5025396-$ or US-5231579-$ or US-5404294-$ or US-5563998-$ or US-5745712-$ or US-5991469-$ or US-5991782-$ or US-6088700-$ or US-6167523-$ or US-6185583-$ or US-6460042-$ or US-6651217-$ or US-6662340-$ or US-6826597-$ or US-6854085-$ or US-6944669-$). did.	US-PGPUB; USPAT	OR	OFF	2006/01/04 14:25
S18 5	5	S184 and skip$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 14:28
S18 6	53188	(file$1 or table$1 or list$1) with (data$1 near5 (format$4 or type$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 14:30

EAST Search History

S18 7	34479	(file$1 or table$1 or list$1) near3 (data$1 near5 (format$4 or type$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 14:30
S18 8	21466	(file$1 or table$1 or list$1) near3 (data$1 near5 (format$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 14:30
S18 9	2855	(file$1 or table$1 or list$1) with (contain$3 or populat$3) with (data$1 near5 (format$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 14:31
S19 0	121	(file$1 or table$1 or list$1) with (contain$3 or populat$3) with (data$1 near5 (format$4) near5 field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 14:31
S19 1	193	(file$1 or table$1 or list$1) with (contain$3 or populat$3) with (data$1 near5 (format$4) near5 (value$1 or field$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 14:34
S19 2	128	S191 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 14:44
S19 3	58	(file$1 or table$1 or list$1) with (contain$3 or populat$3) with (record$1 near5 (format$4) near5 (value$1 or field$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 14:35
S19 4	68	(file$1 or table$1 or list$1) with record$1 with ((format$4 and value$1) near5 field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 14:36
S19 5	18	(file$1 or table$1 or list$1) with (data$1 near5 record$1) with ((format$4 and value$1) near5 field$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 14:40
S19 6	9	(data$1 near5 record$1) with (format$4 near5 statement$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 14:42

EAST Search History

S19 7	81	(record$1) with (format$4 near5 statement$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 14:42
S19 8	1505	(record$1) with (format$4 near5 (statement$1 or field$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 14:42
S19 9	59	S198 and ((html or xml or sgml or xhtml) near form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 14:43
S20 0	74	S198 and ((html or xml or sgml or xhtml or web) near form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 14:43
S20 1	54	S200 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 15:54
S20 2	2000	picture adj character$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 14:48
S20 3	31	(form$1 near field$1 near attribute$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 14:50
S20 4	554	(form$1 near field$1) with (validat$3 or check$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 14:51
S20 5	14	(form$1 near field$1) with (validat$3 or check$3) with (format$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 15:54
S20 6	1793	(form$1 near field$1) with (data$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 15:54

EAST Search History

S20 7	1288	S206 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 15:54
S20 8	688	(715/505,506,507,508).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 15:54
S20 9	112	S207 and S208	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:20
S21 0	1606	(constrain$3 near input$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:20
S21 1	20	(constrain$3 near (form$1 or field$1) near input$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:28
S21 2	2	S211 and populat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:28
S21 3	98	(constrain$3 near3 (form$1 or field$1) near3 input$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:28
S21 4	12	S213 and populat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:29
S21 5	2658	smart near5 form$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:30
S21 6	17	S215 and S208	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:30

EAST Search History

S21 7	2672	(smart$2 or intellegent$2) near5 form$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:31
S21 8	4103	(smart$2 or intelligent$2) near5 form$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:32
S21 9	33	S218 and S208	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:34
S22 0	4	((smart$2 or intelligent$2) near5 form$1) with constraint$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:32
S22 1	29	S219 and @ad<="20030331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:34
S22 2	3	(constrain$3 near5 input$4) same ((fillin$1 or fill-in$1 or (fill adj in$1) or web or html) with form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 11:27
S22 3	2	S222 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 11:27
S22 4	19	(constrain$3 near5 field$1) same ((fillin$1 or fill-in$1 or (fill adj in$1) or web or html) with form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 11:27
S22 5	7	S224 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 11:28
S22 6	284	(constrain$3 near5 input$4) same ((fillin$1 or fill-in$1 or (fill adj in$1) or web or html or input) with form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 11:28

EAST Search History

S22 7	206	S226 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 11:50
S22 8	10	S227 and ((skip$4 or omit$4) near5 (input$1 or data$1 or value$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 11:49
S22 9	29	input$4 near (form$1 with field$1 with (input$1 or data$1 or value$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 11:49
S23 0	15	S229 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 11:56
S23 1	5135	import$3 with data$1 with (table$1 or database$1 or spreadsheet$1 or (spread adj sheet$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 11:55
S23 2	453	import$3 with data$1 with (spreadsheet$1 or (spread adj sheet$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 11:55
S23 3	282	S232 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 11:56
S23 4	9447	(715/5??).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 11:56
S23 5	31	S233 and S234	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 11:56
S23 6	2	("5,563,998").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/17 11:09

EAST Search History

S23 7	120493	form$1 same (fill-in$1 or fillin$1 or (fill adj in$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 11:24
S23 8	1435	((web or html) with form$1) with (fill-in$1 or fillin$1 or (fill adj in$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 11:31
S23 9	24	S238 and (regular adj expression$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 11:32
S24 0	11	S239 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:27
S24 1	11	S240 and (database$1 or table$1 or file$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:11
S24 2	2	("6,192,380").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 11:44
S24 3	4	US-6199079-$.DID. OR US-5794259-$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 11:46
S24 4	2	("6460042").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:27
S24 5	2	("6460042").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:44
S24 6	2	S245 and (read$3 or access$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:46

S24 7	1	S245 and (read$3 or access$3) and populat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:47
S24 8	1	S245 and (read$3 or access$3) and populat$3 and (database$1 with subsequent$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 14:47
S24 9	42	(US-20010047426-$ or US-20010047428-$ or US-20020013788-$ or US-20020184255-$ or US-20030023625-$ or US-20030046316-$ or US-20030078949-$ or US-20030159071-$ or US-20040034833-$ or US-20040039993-$ or US-20040148568-$ or US-20040205530-$ or US-20040205533-$ or US-20050149854-$ or US-20050198563-$).did. or (US-5008810-$ or US-5025396-$ or US-5231579-$ or US-5404294-$ or US-5563998-$ or US-5619635-$ or US-5704029-$ or US-5745712-$ or US-5794259-$ or US-5991469-$ or US-5991782-$ or US-6088700-$ or US-6167523-$ or US-6185583-$ or US-6192380-$ or US-6199079-$ or US-6341359-$ or US-6460042-$ or US-6525749-$ or US-6589290-$ or US-6651217-$ or US-6658622-$ or US-6662340-$ or US-6826597-$ or US-6854085-$ or US-6944669-$). did. or (US-6964010-$).did.	US-PGPUB; USPAT	OR	OFF	2006/01/18 16:08
S25 0	13	S249 and variable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 16:10
S25 1	9	S249 and variable with (data$1 or field$1 or input$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 16:11

EAST Search History

S25 2	0	S249 and variable with (length$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 16:11
S25 3	0	S249 and (variable with (length$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/18 16:11
S25 4	3321	(715/517,513,507).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 07:42
S25 5	5396	(707/10).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 07:42
S25 6	6325	(709/229,238,245).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 07:42
S25 7	14416	S254 S255 S256	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 07:42
S25 8	11083	S257 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 07:43
S25 9	2113	S258 and ((html or web or fillin$1 or fill-in$1 or (fill adj in$1)) with form$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/23 07:43
S26 0	3131	(input near mask$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 14:52
S26 1	176	(form$1 with (input near mask$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 14:53

EAST Search History

S26 2	222	(field$1 with (input near mask$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 14:53
S26 3	74	S261 and S262	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 14:53
S26 4	10	S263 and html	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 14:54
S26 5	10	S263 and web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 14:55
S26 6	44042	(input$1 or field$1 or form$1) near mask$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 14:56
S26 7	8362	(input$1 or field$1) near mask$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 14:56
S26 8	5194	(field$1) near mask$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 14:56
S26 9	3817	(input$4) near mask$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 15:14
S27 0	4046	(import$3 with (data$1 or datum or content$1) with database$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 15:14
S27 1	372	(import$3 with (data$1 or datum or content$1) with database$1) with (format$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 15:15

EAST Search History

S27 2	375	(import$3 with (data$1 or datum or content$1) with database$1) with (format$4 or mask$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 15:15
S27 3	207	S272 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 15:18
S27 4	1	S273 and ((character adj string$1) near type$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 15:21
S27 5	51	("4827411" | "5257369" | "5421001" | "5421006" | "5490088" | "5524253" | "5560005" | "5608898" | "5615372" | "5621721" | "5623662" | "5721909" | "5752242" | "5826270" | "5832522" | "5873103" | "5937415" | "5958016" | "5966717" | "5970490" | "5974417" | "6044372" | "6047280" | "6070192" | "6094684" | "6094688" | "6134559" | "6148329" | "6154748" | "6167405" | "6199068" | "6202099" | "6212550" | "6243749" | "6256676" | "6263369" | "6298383" | "6304915" | "6333931" | "6427170" | "6430619" | "6442588" | "6466977" | "6498791" | "6510429" | "6510465" | "6549956").PN. OR ("6718332").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/08/08 15:21
S27 6	50	S275 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 15:26
S27 7	1	S274 and ((character adj string$1) near type$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 15:21
S27 8	6	S276 and mask$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 15:25

EAST Search History

S27 9	0	(database near record$1 near mask$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 15:25
S28 0	90	(database with record$1 with mask$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 15:25
S28 1	91	(database$1 with record$1 with mask$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 15:26
S28 2	54	S281 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 16:01
S28 3	1	(database$1 with record$1 with (input$4 near3 mask$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 15:26
S28 4	1553	(form with field$1 with ((populat$3 or import$3 or read$3) with (data$1 or content$1 or string$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 15:59
S28 5	2	(form with field$1 with ((populat$3 or import$3 or read$3) with (data$1 or content$1 or string$1))) with constrain$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 16:00
S28 6	67211	(data with (mask$3 or constrain$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 16:01
S28 7	11792	(content$1 with (mask$3 or constrain$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 16:01
S28 8	3121	(string$1 with (mask$3 or constrain$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 16:01

EAST Search History

S28 9	436	(string$1 near (mask$3 or constrain$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 16:01
S29 0	286	S289 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 16:03
S29 1	7	S290 and (form with (fill$3 or (fill$3 adj in) or populat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 16:02
S29 2	0	S290 and (form with populat$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 16:02
S29 3	485	(form$1 with populat$3) same (automatic$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 16:03
S29 4	231	S293 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 16:03
S29 5	11	S294 and (constrain$3 with (data or input or content$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 16:16
S29 6	4	US-6199079-$.DID. OR US-5794259-$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/08 16:16
S29 7	80	(client adj side) with (form$1 or input$1 or field$1) with (validat$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/10 14:38
S29 8	46	S297 and @ad<="20020730"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/10 14:38

EAST Search History

S29 9	44	(US-20050149854-$ or US-20030023625-$ or US-20030046316-$ or US-20030078949-$ or US-20010047426-$ or US-20040205533-$ or US-20020013788-$ or US-20050278295-$ or US-20030159071-$ or US-20040148568-$ or US-20010047428-$ or US-20040039993-$ or US-20050198563-$ or US-20040205530-$ or US-20040034833-$ or US-20020184255-$).did. or (US-6088700-$ or US-5404294-$ or US-5704029-$ or US-6525749-$ or US-5794259-$ or US-6718332-$ or US-6651217-$ or US-6944669-$ or US-5563998-$ or US-6167523-$ or US-6854085-$ or US-6185583-$ or US-6662340-$ or US-6589290-$ or US-5991469-$ or US-5619635-$ or US-6192380-$ or US-6460042-$ or US-6964010-$ or US-5231579-$ or US-6658622-$ or US-5008810-$ or US-5745712-$ or US-6199079-$ or US-5025396-$ or US-6826597-$). did. or (US-5991782-$ or US-6341359-$).did.	US-PGPUB; USPAT	OR	OFF	2006/08/11 09:18
S30 0	0	S299 and "ss_num"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 09:19
S30 1	30	S299 and (field$1 with name$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 09:19
S30 2	2	S299 and (input with mask$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 09:23
S30 3	2	("6981028").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 11:09

EAST Search History

S30 4	121	girgensohn.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 11:10
S30 5	0	girgensohn.in. and zimermann.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 11:10
S30 6	49	girgensohn.in. and form$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/11 12:14